

Self Supporting Cones		Large Cones	
Regular	Iron Free	Regular	Iron Free

Heating Rate (°C/hr)

Cone	60	150	60	150	60	150	60	150
022	586	590			N/A	N/A		
021	600	617			N/A	N/A		
020	626	638			N/A	N/A		
019	678	695			676	693		
018	715	734			712	732		
017	738	763			736	761		
016	772	796			769	794		
015	791	818			788	816		
014	807	838			807	836		
013	837	861			837	859		
012	861	882			858	880		
011	875	894			873	892		
010	903	915	886	893	898	913	884	891
09	920	930	919	928	917	928	917	926
08	942	956	946	957	942	954	945	955
07	976	987	971	982	973	985	970	980
06	998	1013	991	998	995	1011	991	996
05 1/2	1015	1025	1012	1021	1012	1023	1011	1020
05	1031	1044	1037	1046	1030	1046	1032	1044
04	1063	1077	1061	1069	1060	1070	1060	1067
03	1086	1104	1088	1093	1086	1101	1087	1091
02	1102	1122	1105	1115	1101	1120	1102	1113
01	1119	1138	1123	1134	1117	1137	1122	1132
1	1137	1154	1139	1148	1136	1154	1137	1146
2	1142	1164			1142	1162		
3	1152	1170	1154	1162	1152	1168	1151	1160
4	1162	1183			1160	1181		
5	1186	1207			1184	1205		
5 1/2	1203	1225			1201	1223		
6	1222	1243			1220	1241		
7	1239	1257			1237	1255		
8	1249	1271			1247	1269		
9	1260	1280			1257	1278		
10	1285	1305			1282	1303		

Self Supporting Cones		Large Cones	
Regular	Iron Free	Regular	Iron Free

Heating Rate (°C/hr)

Cone	60	150	60	150	60	150	60	150
11	1294	1315			1293	1312		
12	1306	1326			1304	1326		
13	1331	1348			1321	1346		
13 1/2	1352	1367						
14	1365	1384			1388	1366		
14 1/2	1386	1409						
15	1417	1428			1424	1431		
15 1/2	1436	1445						
16	1457	1475			1455	1473		
17	1479	1487			1477	1485		
18	1502	1508			1500	1506		
19	1522	1530			1520	1528		
20	1544	1551			1542	1549		
21	1566	1571			1564	1569		
23	1588	1592			1586	1590		
26					1589	1605		
27					1614	1627		
28					1619	1633		
29					1624	1645		
30					1636	1654		
31					1661	1679		
31 1/2					1684	1698		
32					1706	1717		
32 1/2					1718	1730		
33					1732	1741		
34					1757	1759		
35					1784	1784		
36					1798	1796		

